# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 5:		(11) International Publication Number: WO 94/0			
C07C 29/149, 31/125	A1	(43) International Publication Date: 31 March 1994 (31.03.94			
(21) International Application Number: PCT/I (22) International Filing Date: 2 September 199	EP93/023	tent Division, P.O. Box 137, NL-3130 AC Vlaardinge			
(30) Priority data: 92202799.0 14 September 1992 (14. (34) Countries for which the regional or international application was filed:  (71) Applicant (for all designated States except US): MA CHEMIE B.V. [NL/NL]; Buurtje 1, N Gouda (NL).  (72) Inventors; and (75) Inventors/Applicants (for US only): VAN DE Frank, Theodoor [NL/NL]; G. van Doorn: NL-3621 HT Breukelen (NL). VREESWIJK Josephus [NL/NL]; Stekelbrem 62, NL-3068 dam (NL).	NL et UNICH IL-2802 I SCHEU ikstraat :	LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RI SD, SE, SK, UA, US, VN, European patent (AT, BI CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NI PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  Published  With international search report.			
54) Title: PROCESS FOR THE PRODUCTION (	OF ALC	HOLS			
57) Abstract  A process for the manufacture of alcohols by sters in which the hydrogenation is carried out in the tions are such that the hydrogen carrier is in a supe	e presenc	use catalytic hydrogenation of mono- or dicarboxylic acids or their of a liquid, inert hydrogen carrier. Preferably, the reaction conditions			
ions are such that the hydrogen carrier is in a supe	rcritical s	ate.			

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia .	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE	Belgium	GN	Guinea	NL	Netherlands
BF	Burkina Faso	GR	Greece	NO	Norway .
BC	Bulgaria	HU	Hungary	NZ	New Zealand
BJ	Benin	IE	Ireland	PL	Poland
BR	Brazil	iΤ	lialy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
CA	Canada	KP	Democratic People's Republic	RU	Russian Federation
CF	Central African Republic		of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	ü	Liechtenstein	SK	Slovak Republic
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	ເນ	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TC	Togo
cz	Czech Republic	MC	Monaco	UA	Ukraine
		MG	Madagascar	US	United States of America
DE	Germany	ML	Mali	UZ	Uzbekistan
DK	Denmark			VN	Vict Nam
ES	Spain	MN	Mongolia	7.1	7 - 7
FI	Finland				

WO 94/06738 PCT/EP93/02383

#### PROCESS FOR THE PRODUCTION OF ALCOHOLS

This invention relates to a process for the manufacture of alcohols by liquid phase catalytic hydrogenation of

5 carboxylic acids or their esters. Preferably the carboxylic acids are monocarboxylic acids having from 6 to 24 carbon atoms, and their esters are preferably derived from monohydric alcohols having from 1 to 24 carbon atoms, thus also including waxes.

10

The most common technology for the commercial production of fatty alcohols is a liquid phase hydrogenation process in which fatty acids or their alkyl esters are converted into fatty alcohols at 200-300 bar hydrogen pressure at 15 temperatures between 200-300°C in the presence of usually a copper/chromite catalyst. Two moles of hydrogen are necessary for the conversion of one mole of fatty acid into fatty alcohol. It is well known that hydrogen is poorly soluble in organic mediums like fatty acids or their 20 esters, particularly at high temperature. Therefore, a high hydrogen pressure is necessary to dissolve sufficient hydrogen to drive the reaction to completion and to achieve a high selectivity. At hydrogen pressures below 200 bar the hydrogen solubility decreases as a result of which the 25 selectivity decreases, leading to the formation of fatty acid-fatty alcohol esters, which must be recirculated, and hydrocarbons which are undesired contaminants. The capital investments for a fatty alcohol plant operating at these process conditions are high, particularly if the excess of 30 hydrogen gas used has to be recirculated at the high pressures involved.

It has therefore been tried to develop a low pressure hydrogenation process, i.e. a pressure below 100 bar, for the manufacture of fatty alcohols from fatty acids, which would lower the investment costs.

Thus, in British Patent Specification GB-A-433,549 (I.C.I.

Ltd) it has been proposed to manufacture alcohols by
hydrogenating the corresponding fatty acids or esters
thereof in the presence of a catalyst at a pressure below
50 atmospheres (but which may be as low as 5 atmospheres).

This low pressure is possible by vigorously stirring the
substance to be hydrogenated and the catalyst, whilst
rapidly passing through hydrogen, whereby the alcohols
formed are carried out of the reaction vessel in the stream
of hydrogen as they are formed.

It will be clear that in such a way large amounts of
hydrogen are involved and a rather complicated
recirculation system will be necessary.

In another proposal fatty acids or their lower alkyl esters are hydrogenated at a hydrogen pressure of 25 to 100 bar and a temperature of 200°C-300°C (British Patent Specification GB-A-2,143,524 (Oleofina S.A.)). This relatively low pressure is possible only if a specific, two-component catalyst is used, viz. a catalyst consisting of (i) a Cu-Cr mixture, and (ii) Cu deposited on a support. In an example methyl laurate is hydrogenated at 60 bar and 218°C to lauryl alcohol in a yield of 97,5%. Although the hydrogen flow has not been mentioned, it still must be appreciable.

All these known processes are catalytic hydrogenations in the liquid phase. If the hydrogenation is carried out in the vapour phase, however, a lower hydrogen pressure may be used.

Thus, in German Patent Specification DE-A-1,275,042 (Kyowa Hakko Kogyo Ltd) it has been proposed to manufacture saturated alcohols and saturated carbonyl compounds by catalytic hydrogenation of alpha, beta-unsaturated carbonyl compounds in the vapour phase at a pressure of 1-3 atmospheres, in the presence of a lower saturated alkane (methane, ethane or propane). On the one hand this

WO 94/06738 - 3 - PCT/EP93/02383

alkane prevents that the catalyst mass will be locally overheated, but on the other hand a difference in the hydrogenation velocities of the olefinic double bond and of the carbonyl group is effected. If the amount of saturated alcohol formed should be increased, then the amount of alkane should be as low as possible.

Recently, Davy McKee published in Oils and Fats
International, Issue III, 1990, also a new process

10 operating at low hydrogen pressure. The technology is based on the conversion of fatty acid methyl esters in the vapour phase into fatty alcohols at 40 bar and 200-250°C in the presence of a non-disclosed catalyst. Vaporization of the methyl esters is achieved by a hot hydrogen recycle stream.

15 The combination of a vapour phase reaction and mild reaction conditions (low hydrogen pressure, lower

temperatures) is claimed to minimize by-product formation.

The applicability of the Davy McKee process (which has also been described in British Patent Specification GB-A-2,116,552) is limited by the volatility of the starting material. The process becomes unattractive for the manufacture of long chain alcohols. The volatility of long chain fatty acid methyl esters such as C<sub>16</sub> and C<sub>18</sub> fatty acid methyl esters is too low, necessitating an excessively high hydrogen gas recycle flow for their vaporization. A large hydrogen gas-recycle flow is also still necessary for the complete vaporization of short chain methyl esters. Consequently, the energy input for gas recirculation is high.

There is therefore still a need for a liquid phase hydrogenation process for the conversion of especially fatty acids or their alkyl esters into fatty alchols, operating at low hydrogen pressure with a very limited hydrogen recycle, resulting in high conversion and selectivity.

30

It has now been found that if the catalytic hydrogenation in the liquid phase is carried out in the presence of a liquid, inert hydrogen carrier, i.e. an inert solvent in which a relatively large amount of hydrogen can be dissolved at the conditions of the reaction, the reaction can be effected at a low hydrogen pressure without volatility limitations. The use of this liquid, inert hydrogen carrier at the same time decreases the concentration of the substance to be hydrogenated in the reaction medium and consequently the molar ratio of hydrogen to substance to be hydrogenated is favoured, allowing the reaction to proceed at relatively low hydrogen pressure, with a high degree of conversion and a high selectivity, independent of the chain length of the fatty acid.

Therefore, the present invention relates to a process for the manufacture of alcohols by liquid phase catalytic hydrogenation of carboxylic acids or their esters,

20 characterized in that the hydrogenation is carried out in the presence of a liquid, inert hydrogen carrier.

By "liquid" is understood throughout this specification and the attached claims in liquid form either at room

25 temperature and atmospheric pressure (15°C; 98.1 kPa) or at the conditions of the reaction. In this latter case, the hydrogenation reaction is carried out under supercritical conditions for the inert hydrogen carrier, and such a reaction is preferred.

In principle, any liquid inert hydrogen carrier can be used in the process of the present invention. The factors determining the choice of the liquid inert hydrogen carrier are the solubilities of hydrogen, of the material to be hydrogenated, and of the alcohol which is formed in the hydrogenation reaction in the hydrogen carrier and the ease of separation from the alcohol after completion of the

WO 94/06738 - 5 - PCT/EP93/02383

reaction. The solubility of hydrogen in the liquid inert hydrogen carrier is an important criterium. It is determined by the polarity and the molecular weight of the liquid inert hydrogen carrier. To facilitate separation by distillation, the liquid inert hydrogen carrier should have either a distinctly lower or a distinctly higher volatility than the alcohol formed in the hydrogenation reaction.

Suitable liquid inert hydrogen carriers are preferably

10 selected from hydrocarbons such as alkanes, cycloalkanes,
aromatic hydrocarbons and the like. In particular branched
chain alifatic hydrocarbons are preferred in view of the
high solubility of hydrogen in such substances. Examples
are octane, isooctane and high boiling mineral oils. Also

15 mixtures of hydrocarbons can be used.
Another class of materials are the wax esters, fatty acid
esters of fatty alcohols.

In a particular embodiment of the present invention the
hydrogenation is effected under supercritical conditions by
using a low boiling alkane, such as pentane. The advantage
of working under critical conditions with low boiling
alkanes is the high solubility of hydrogen in the lower
alkanes, particularly the branched chain alkanes having up
to 10 carbon atoms.

The use of solvents in liquid phase catalytic hydrogenation processes is known, for example from European Patent Specification EP-A-0,319,208 (Davy McKee Ltd) but in this case such solvents are used to limit the temperature rise due to the exothermic character of the hydrogenation reaction, particularly when the hydrogenation zone is operated under adiabatic conditions. The solvent in this publication can be supplied either in

the form of an inert gas admixed with the hydrogen in an amount up to 50 mole%, or as a diluent added to the feed stock to be hydrogenated. Usually, the hydrogenation

product itself is used for that purpose and therefore part of the hydrogenation product is recycled and admixed with the feedstock to be hydrogenated.

5 This same principle has also been disclosed in catalytic liquid phase hydrogenations, using an excess of hydrogen, so as to entrain and remove the liquid or gaseous reaction products formed, as has for example been disclosed in United States Patent Specification US-A-3,565,921 (Melle-10 Bezons S.A.).

Raw materials that can be used in the process of the present invention are monocarboxylic acids having 6-24 carbon atoms and dicarboxylic acids having 6-36 carbon atoms, such as 2-ethylhexanoic acid, stearic acid, adipic acid and dimerized fatty acid, or their alkyl esters with alkanols having 1-24 carbon atoms, such as methanol or octanol. Esters from the said fatty acids with polyhydric alcohols having 2-6 carbon atoms, like glycerol,

20 diethyleneglycol and trimethylolpropane can also be used.

For sake of convenience methyl esters are preferably used.

The carboxylic acid methyl esters used for the conversion into fatty alcohol according to the invention can be manufactured by interesterification of the corresponding triglyceride with methanol or by esterification of free fatty acids with methanol, applying techniques known in the art.

The fatty acid methyl ester should be as free as possible
from residues of catalyst used in the esterification or
interesterification process, which residues may poison the
hydrogenation catalyst. It is therefore particular
advantageous to carry out the esterification of fatty acid
with methanol without a catalyst as disclosed in European
Patent Application EP 89203343.3 (Unilever).

-7 - PCT/EP93/02383

The concentration of the material to be hydrogenated in the liquid inert hydrogen carrier is related to the concentration of hydrogen in the hydrogen carrier. The mole ratio hydrogen/material to be hydrogenated is preferably greater than 5, more preferably greater than 20. Ratios greater than 50 can also be used, but may be less preferable in view of the higher hydrogen pressure or the too low feed concentration that may be necessary to achieve such a ratio.

10

The process of the present invention allows the use of hydrogen pressures between 20 and 100 bar without excessive recycling of hydrogen. Normally at hydrogen pressures of 30-50 bar already enough hydrogen is dissolved in the liquid inert carrier at reaction temperatures of 185-225°C to achieve an almost complete conversion (over 96%) of the material to be hydrogenated with an extremely high selectivity (over 99%).

In the process according to the present invention the carboxylic acids or their esters are admixed with the liquid inert hydrogen carrier and the mixture is saturated with hot hydrogen gas and led over a fixed bed catalyst, preferably of copper-chromium or copper-zinc type at 150-275°C and 20-100 bar hydrogen pressure. The crude alcohols formed, leaving the fixed bed reactor, are cooled by heat exchange with the feed and depressurized to separate dissolved hydrogen, which is recirculated. The liquid inert hydrogen carrier is separated from the alcohol and recycled.

The hydrogenation catalysts used in the process according to the present invention can be any of the well-known copper containing catalysts, such as Raney copper, copper chromite, copper-zinc-oxide, copper-zinc-oxide on alumina, and the like. The preparation of such catalysts has inter alia been described in German Patent Specification

DE-A-3,920,288 (Henkel).

The temperature at which the process of the present invention is carried out ranges from 150°C up to 275°C, preferably from 185° to 225°C. Higher temperatures are not necessary and should preferably be avoided to minimize alkane formation.

It has been found that by proper selection of hydrogen

carrier, catalyst and reaction conditions, a conversion

degree of fatty acid methyl esters to fatty alcohols of

over 99% can be obtained, with more than 99% selectivity.

Although the use of a fixed catalyst bed reactor is

preferred, the catalytic hydrogenation according to the
present invention can also be carried out in a slurry
whilst agitating, or in the trickle phase.

The use of such conditions of temperature and pressure and
such a type of inert hydrogen carrier that this is in the
liquid, supercritical state is a particularly preferred
embodiment of the process according to the present
invention.

The invention will now be further illustrated on hand of the following examples:

#### Example 1

A Cu/ZnO/SiO<sub>2</sub> catalyst was prepared by adding:

30 10 g SiO<sub>2</sub>, 7.56 g Cu (NO<sub>3</sub>)<sub>2</sub> . 3H<sub>2</sub>O, 4.10 g Zn (NO<sub>3</sub>)<sub>2</sub> . 4H<sub>2</sub>O, 8.47 g urea and 1 kg water together in a stirred vessel. The pH was adjusted to 3 with diluted nitric acid. The mixture was stirred vigourously during 24 hours at a temperature of 90°C. Afterwards the pH became about 7 and 35 the blue precipitate was filtered off hot, thoroughly washed with water and dried at 110°C for 16 hours.

WO 94/06738 - 9 - PCT/EP93/02383

The obtained precursor was calcined at 477°C for 12 hours in air and reduced at 327°C for 12 hours in hydrogen.

A catalyst was obtained containing 77.5 wt%, SiO<sub>2</sub>, 5 13.8% Cu (based on Cu metal) and 8.7 wt% ZnO.

A fixed-bed reactor was loaded with 0.1 g of the catalyst thus prepared. The reactor was fed at a rate of 0.1 ml/min with octane as the hydrogen carrier in which was dissolved 0.01 mol.dm<sup>-3</sup> methyl palmitate and 0.32 mol.dm<sup>-3</sup> hydrogen. The pressure was 40 bar and the temperature 197°C. The methyl palmitate was completely (99%) converted into cetyl alcohol with a selectivity of 99.5%.

#### 15 Example 2

The experiment of Example 1 was repeated with mineral white oil as the hydrogen carrier. The concentration of hydrogen in the white oil was 0.10 mol.dm<sup>-3</sup>. All other reactor conditions were equal to those described in Example 1. The conversion of methyl palmitate was 92% at a selectivity of 99%.

#### Example 3

The experiment of Example 1 was repeated at the same conditions, except for a feed rate of 0.3 ml/min and a reaction temperature of 207°C. The conversion was practically complete, and the alkane formation was lower than 1%.

30

#### Example 4

The experiment of Example 1 was repeated at the same reaction conditions, but the hydrogen concentration was 0.23 mol.dm<sup>-3</sup>, the pressure was 32 bar and the feed rate was 0.3 ml/min. The conversion of methyl palmitate was 82%, without alkane formation.

### Example 5

0.1 g of the catalyst of Example 1 was loaded into a batch autoclave together with 100 ml of a 0.01  $\mathrm{mol.dm}^{-3}$  solution 5 of methyl palmitate in octane. The reactor was pressurized with hydrogen at 44 bar and stirred continuously to keep the catalyst in suspension and to enhance the rate of dissolution of the hydrogen. The temperature in the reactor was kept at 197°C. After 24 hours, the methyl palmitate was 10 completely converted at a selectivity of 99.7% into cetyl alcohol.

WO 94/06738 - 1 1 - PCT/EP93/02383

#### **CLAIMS**

- 1. A process for the manufacture of alcohols by liquid phase catalytic hydrogenation of carboxylic acids or their esters, characterized in that the hydrogenation is carried out in the presence of a liquid, inert hydrogen carrier.
- 2. A process according to Claim 1, characterized in that the liquid, inert hydrogen carrier is supercritical under the conditions of the hydrogenation reaction.
- 3. A process according to Claim 1, characterized in that the liquid, inert hydrogen carrier has a lower volatility than the alcohol formed in the hydrogenation.
- 4. A process according to Claim 1, characterized in that the liquid, inert hydrogen carrier has a higher volatility than the alcohol formed in the hydrogenation.
- 5. A process according to Claim 1, characterized in that the liquid, inert hydrogen carrier is selected from the group consisting of straight or branched chain alkanes, cyclo-alkanes, aromatic hydrocarbons, wax esters, and mixtures thereof.
- 6. A process according to Claim 2, characterized in that the inert hydrogen carrier is a straight or branched chain alkane having up to 10 carbon atoms.
- 7. A process according to Claim 1, characterized in that the carboxylic acid is a monocarboxylic acid having from 6 to 24 carbon atoms.

- 8. A process according to Claim 1, characterized in that the carboxylic acid is a dicarboxylic acid having from 6 to 36 carbon atoms.
- A process according to Claim 1, characterized in that the carboxylic acid ester is derived from a monohydric alcohol having from 1 to 24 carbon atoms.
- 10. A process according to Claim 1, characterized in that the carboxylic acid ester is derived from a polyhydric alcohol having from 2 to 6 carbon atoms.
- 11. A process according to Claim 1, characterized in that the hydrogenation is carried out at a temperature of 150°C to 275°C, preferably from 175°C to 225°C.
- 12. A process according to Claim 1, characterized in that the hydrogenation is carried out at a pressure of 20 to 100 bar, preferably from 30 to 70 bar.
- 13. A process according to Claim 1, characterized in that the catalyst is a copper containing catalyst.
- 14. A process according to Claim 1, characterized in that the catalyst is a copper containing catalyst, comprising zinc, chromium and iron in metal and/or oxide form.

# INTERNATIONAL SEARCH REPORT

Inter onal Application No PCI/EP 93/02383

			7 2: 30,02303
A. CLAS	SIFICATION OF SUBJECT MATTER C07C29/149 C07C31/125	<del>"</del> "'	
According	to International Patent Classification (IPC) or to both national class	sification and IPC	
	S SEARCHED		
IPC 5	documentation searched (classification system followed by classific CO7C	ation symbols)	
Documents	ation searched other than minimum documentation to the extent tha	such documents are included in	the fields searched
Electronic	data base consulted during the international search (name of data b	sse and, where practical, search t	erms used)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
A	GB,A,2 143 524 (OLEOFINA S.A.) 1 1985 cited in the application see page 3 - page 4; claims	3 February	1
A	EP,A,O 319 208 (DAVY MCKEE LTD) 1989 cited in the application see page 8, line 20 - line 52 see page 28; claims	7 June	1
Furth	her documents are listed in the continuation of box C.	X Patent family members	are listed in annex.
*Special categories of cited documents:  A* document defining the general state of the art which is not considered to be of particular relevance  E* cartier document but published on or after the international filing date  L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  C* document referring to an oral disclosure, use, exhibition or other means  C* document published after the international filing date but later than the priority date claimed  C* document published after the international filing date but later than the priority date claimed  C* document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  C* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  C* document member of the same patent family  Date of the actual completion of the international search  Date of mailing of the international search report			
6	December 1993	<b>2 0.</b> 12. 93	<u>-</u>
Name and n	nailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Td. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax (+31-70) 340-3016	Authorized officer Kinzinger,	]

Form PCT/ISA/210 (second sheet) (July 1992)

**1** 

## INTERNATIONAL SEARCH REPORT

nformation on patent family members

Inter 'onal Application No PCI/EP 93/02383

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
GB-A-2143524	13-02-85	LU-A- AT-B-	84912 392065	17-04-85 25-01-91
		AU-B-	566386	15-10-87
			3001784	17-01-85
		BE-A-	900118	09-01-85
		CA-A-	1253512	02-05-89
		DE-A-	3425758	24-01-85
		FR-A,B	2549056	18-01-85
		JP-B-	4072810	19-11-92
		JP-A- 6	0038333	27-02-85
		NL-A-	8402172	01-02-85
		0A-A-	7747	30-08-85
4.0		SE-B-	457080	28-11-88
			8403636	15-01-85
		SU-A-	1405698	23-06-88
		SU-A-	1517761	23-10-89
		US-A-	4728671	01-03-88
EP-A-0319208	07-06-89	AU-A-	2725688	05-07-89
EI 7 4313540	3, 30 03		3870171	21-05-92
			0393093	24-10-90
			8905286	15-06-89
1			5093535	03-03-92